



2024 PRODUCT CATALOG

OUR COMPANY

Audere is a Latin word which means “to dare” and is the foundational principle of this company based in San Marino, where it has been established in 2017 as a manufacturer of firearm accessories. Whilst design, engineering and manufacturing of branded product series is its core business, Audere built up a considerable portfolio of customers as an OEM, including major operators of the arms industry, in less than two years. Thanks to its multidisciplinary team of professionals from both mechanical and firearm fields, the company is able to follow products development during

its entire process, in compliance with project requirements. Currently, main product series include optic mounts, rail systems and muzzle devices, nevertheless the R&D department is continuously focused on progress, designing and prototyping future series by means of latest technologies. Audere’s customer base comprises a broad spectrum of users coming from military forces, law enforcement, shooting sports and hunting. Customer service monitors users’ feedbacks in order to constantly improve its own competencies and collect valuable information for other departments.

OUR VISION

The redefinition of weapon improvement.

OUR MISSION

- To impose the Audere brand as a major manufacturer in the market of firearm accessories
- To be a reliable partner for best operators of the arms industry
- To improve existing standards via advancements from other sectors
- To create a solid network of local suppliers, contributing to their growth
- To add prestige to the Italian quality and consolidate “Made in Italy” worldwide
- To advise and educate customer base by means of events and activities



TABLE OF CONTENTS

OPTICS ACCESSORIES

02	ADVERSUS™
04	LEVITAS™
05	PSR
06	PSR DOVETAIL
06	AIMPOINT® MOUNTS

SCOPE MOUNTS
CANTILEVER MOUNTS
SCOPE RINGS
SCOPE RINGS

MUZZLE DEVICES

07	HMB
08	IMPERIUM™
09	QUARTER STROKE™
10	SOW
10	TSO
11	HAMMERHEAD™
12	JW

MUZZLE BRAKES
MUZZLE BRAKES
MUZZLE BRAKES
MUZZLE BRAKE
COMPENSATOR
MUZZLE BRAKES
BREACHER

HANDGUNS ACCESSORIES

12	CELERITAS™
----	-------------------

MAG RELEASE

MISC

13	PICATINNY RAILS
14	SHADOW BIPOD
15	SHADOW TRIPOD
16	TOOLS
17	WHAT'S NEXT

ADVERSUS™



The Adversus™ series, compatible with any 1913 or NATO rail, is optimized for its use on sniper rifle platforms and target users from military forces, law enforcement and shooting sports. The ScopeLink™ interfaces, situated all over the base and caps, make it acts as a modular system configurable by attaching multiple optical accessories. Each part is CNC machined from a single piece of 7075 aluminium, this allows us to keep tolerances which guarantee the best return to zero. Their design ensures required system's pressure and stability in all conditions to prevent any shift of the scope, without provoking its deformation or damage.

- Extremely solid and durable mounts
- ScopeLink™ interface for attaching optical accessories
- Designed to maximize zero repeatability
- Compatible with any 1913 or NATO rail
- Manufactured from 7075-T651 aluminium
- Finished with Type 3 Hardcoat anodizing



MILITARY



LAW
ENFORCEMENT




SHOOTING
SPORTS



HUNTING




MOUNTS




DIAM	H	L	A	MOA	WEIGHT	SKU*
30	28	125	55	0	267g	AD0006
30	34	125	55	0	296g	AD0007
30	38	125	55	0	317g	AD0008
30	38	125	55	20	315g	AD0009
30	38	125	55	40	313g	AD0011
34	28	125	55	0	275g	AD0012
34	34	125	55	0	310g	AD0013
34	38	125	55	0	326g	AD0014
34	38	125	55	20	324g	AD0015
34	38	125	55	40	322g	AD0016
35	38	125	55	0	327g	AD0117
35	38	125	55	20	326g	AD0118
36	38	125	55	0	312g	AD0123
36	38	125	55	20	310g	AD0124
40	38	125	55	0	327g	AD0120
40	38	125	55	20	325g	AD0121
35	38	145	75	0	339g	AD0017
35	38	145	75	25	336g	AD0018
40	38	145	75	0	338g	AD0020
40	38	145	75	25	335g	AD0021

RAILS



WEIGHT	SKU
20g	SL0001



WEIGHT	SKU
43g	SL0002

*AVAILABLE FINISHES:
 MATTE BLACK "SKU"A
 HEAVY BRONZE "SKU"F

WHERE UNSPECIFIED, DIMENSIONS IN MM



MILITARY



LAW
ENFORCEMENT



SHOOTING
SPORTS




HUNTING

LEVITAS™

The Levitas™ is a multi-purpose scope attachment ideal for auto and semi-auto rifles. Its compactness allows a wide range of mounting options. Despite its lightness, the mount can withstand the severest calibers thanks to a new, sturdy clamping system. The mount also features our proven ScopeLink™ interface that allows the mounting of back-up sights both at the top and at 45 degrees, maintaining reduced dimensions. The level vial and 20MOA tilting options make it suitable for long range applications.


- Sturdy, lightweight cantilever mounts
- Four ScopeLink™ interfaces for attaching optical accessories
- Compatible with any 1913 or NATO rail
- Manufactured from 7075-T651 aluminium
- Finished with Type 3 Hardcoat anodizing

MOUNTS



DIAM	MOA	WEIGHT	SKU*
30	0	197g	LV0001
30	20	199g	LV0002
34	0	190g	LV0003
34	20	193g	LV0004

RAILS



WEIGHT	SKU
20g	SL0005



WWW.AUDERE.SM

*AVAILABLE FINISHES:
MATTE BLACK
HEAVY BRONZE

"SKU"A
"SKU"F




PSR

The PSR scope rings series is compatible with any 1913 or NATO rail and features a ScopeLink™ interface situated on one cap that allows the mounting of multiple optical accessories. This latest generation sees improved reliability under stress conditions and the addition of a recoil lug, a bubble level, a new one-screw clamping system which speeds up the assembly.


- Lightweight and durable scope rings
- ScopeLink™ interface for attaching optical accessories
- Compatible with any 1913 or NATO rail
- Manufactured from 7075-T651 aluminium
- Finished with Type 3 Hardcoat anodizing

RINGS



DIAM	H	WEIGHT	SKU
1"	26	139g	PR0001
1"	34	172g	PR0003
30	26	144g	PR0005
30	34	179g	PR0007
30	37	191g	PR0008
34	28	145g	PR0009
34	34	170g	PR0011
34	37	183g	PR0012
35	32	161g	PR0014
35	36	178g	PR0015
36	32	160g	PR0018
36	36	177g	PR0019
40	32	155g	PR0022
40	36	172g	PR0023

RAILS



WEIGHT	SKU
20g	SL0005




WHERE UNSPECIFIED, DIMENSIONS IN MM

PSR DOVETAIL

The PSR Dovetail series is optimized for shooting sports, it is compatible with both 11mm and Kelbly dovetail rails. The rings are compatible with PSR ScopeLink™ caps in order to allow further platform enhancements.

- Lightweight and durable scope rings
- Compatible with 11mm and Kelbly dovetail rails
- Manufactured from 7075-T651 aluminium
- Stainless steel clamping screws
- Finished with Type 3 Hardcoat anodizing

RINGS



DIAM	H	WEIGHT	SKU
30	30	142g	PD0006
30	34	156g	PD0007
34	30	134g	PD0010
34	34	148g	PD0011



AIMPOINT® MOUNTS

Aluminium mounts for Aimpoint® T1 and similarly mounted red dot optics. Fully machined, match both Picatinny and Weaver rails, low profile design. Type 3 Hardcoat anodizing for the best durability.

PLATFORM	WEIGHT	SKU
PICATINNY / WEAVER	35g	RD0001
BROWNING BAR / BENELLI ARGO	37g	RD0002



MILITARY



LAW
ENFORCEMENT



SHOOTING
SPORTS






HUNTING



HMB

The HMB series targets users from hunting, it is available in .30 Cal with various threads and two finishes.

- Reduced recoil and muzzle movement
- Available in multiple threads
- Manufactured from High-Grade steel or stainless steel
- Black oxide finish for High-Grade steel models and satin finish for stainless steel models



CAL	THREAD	FINISH	WEIGHT	SKU
.30/7.62	5/8"-24	SATIN	61g	HM0001
.30/7.62	5/8"-24	BLACK OXIDE	60g	HM0002
.30/7.62	M15x1	SATIN	64g	HM0005
.30/7.62	M15x1	BLACK OXIDE	63g	HM0006
.30/7.62	M14x1	SATIN	67g	HM0007
.30/7.62	M14x1	BLACK OXIDE	66g	HM0008
.30/7.62	1/2"-20	SATIN	71g	HM0009
.30/7.62	1/2"-20	BLACK OXIDE	70g	HM0010
.223/5.56	1/2"-28	BLACK OXIDE	73g	FR0001
6.5	M14x1	BLACK OXIDE	67g	JF0001
6.5	M15x1	BLACK OXIDE	65g	JF0002
9.3	M14x1	BLACK OXIDE	63g	JF0004
9.3	M15x1	BLACK OXIDE	60g	JF0005



A	CAL	THREAD	FINISH	WEIGHT	SKU
70	.30/7.62	M18x1	SATIN	102g	HM0003
70	.30/7.62	M18x1	BLACK OXIDE	101g	HM0004
62	.30/7.62	M14x1	BLACK OXIDE	97g	FR0002
62	.30/7.62	5/8"-24	BLACK OXIDE	90g	FR0003
70	6.5	M18x1	BLACK OXIDE	104g	JF0003
70	9.3	M18x1	BLACK OXIDE	97g	JF0006

WHERE UNSPECIFIED, DIMENSIONS IN MM



MILITARY



LAW
ENFORCEMENT



SHOOTING
SPORTS




HUNTING


IMPERIUM™

The Imperium™ muzzle brake series targets users from military forces, law enforcement and shooting sports. Made of High-Grade steel and black nitride finished, the series is designed to reduce recoil and muzzle movements.


- Heavy reduction of recoil and muzzle movements
- Available in various calibers and threads
- Manufactured from High-Grade steel
- Black nitride finish
- Jam nut included on selected models




CAL	THREAD	WEIGHT	SKU
.223/5.56	1/2"-28	66g	IM0091*




CAL	THREAD	WEIGHT	SKU
.30/7.62	5/8"-24	121g	IM0001
.30/7.62	M18x1	113g	IM0002
.30/7.62	M15x1	124g	IM0003
6.5	5/8"-24	123g	IM0005
6.5	M18x1	115g	IM0006
6.5	M15x1	127g	IM0007
.243/6	5/8"-24	124g	IM0009
.243/6	M18x1	116g	IM0010



CAL	THREAD	WEIGHT	SKU
.30/7.62	5/8"-24	95g	IS0001*
.30/7.62	M18x1	87g	IS0003*




CAL	THREAD	WEIGHT	SKU
.338	5/8"-24	111g	IM0014
.338	M18x1	103g	IM0015



QUARTER STROKE™


The Quarter Stroke™ muzzle brake series targets users from military forces, law enforcement and shooting sports. Made of High-Grade steel and black nitride finished, this brand-new series is specifically designed for auto and semi-auto weapons in order to guarantee an efficient reduction of both recoil and muzzle movements.

- Self-Timing system for an easy installation
- Heavy reduction of recoil and muzzle movements
- Available in various calibers and threads
- Manufactured from High-Grade steel
- Black nitride finish




CLOSE QUARTER™

CAL	THREAD	WEIGHT	SKU
.223/5.56	1/2" - 28	105g	QS0001
.223/5.56	M15x1	99g	QS0002



MID QUARTER™

CAL	THREAD	WEIGHT	SKU
.30/7.62 (.308W)	5/8" - 24	112g	QS0011



NO QUARTER™

CAL	THREAD	WEIGHT	SKU
.30/7.62 (300BLK)	5/8" - 24	93g	QS0021



WHERE UNSPECIFIED, DIMENSIONS IN MM



MILITARY



LAW
ENFORCEMENT



SHOOTING
SPORTS




HUNTING

SOW

Specifically designed for the 7,62x39 cartridge to reduce recoil and muzzle movements. Made of High-Grade steel and finished by nitriding and post-oxidation. Each muzzle brake is CNC machined from a single piece.

- Designed for AK platform (STG 58 compatible)
- Heavy reduction of recoil and muzzle movements
- Manufactured from High-Grade steel
- Black nitride finish



CAL	THREAD	WEIGHT	SKU
.30/7.62	M14x1LH	94g	SW0001




NOW AVAILABLE
SOW Muzzle Adapter
for AK-100 series
M24X1 to 5/8"-24
SKU: SW9001



TSO

Compensator designed for 9mm cartridge to reduce muzzle movements. Made of High-Grade steel and finished by nitriding and post-oxidation. Each muzzle brake is CNC machined from a single piece.

- Reduced muzzle movements
- Manufactured from High-Grade steel
- Black nitride finish
- Crush washer included



CAL	THREAD	WEIGHT	SKU
9	1/2"-28	73g	TS0001



WWW.AUDERE.SM



HAMMERHEAD™



MILITARY



LAW
ENFORCEMENT



SHOOTING
SPORTS





HUNTING


The Hammerhead™ muzzle brake targets users from military forces, law enforcement and shooting sports.

This series is made of black-nitrided high-grade steel and is designed to deal with the striking amount of gas generated by the most powerful calibers through two specific ports which feature different exhaust angles.

- Self-timing system for an easy installation
- Heavy reduction of recoil and muzzle movement
- Manufactured from High-Grade steel
- Black nitride finish



CAL	THREAD	WEIGHT	SKU
.30	5/8"-24	413g	HH0001
.30	M18x1	403g	HH0002
.338	5/8"-24	410g	HH0003
.338	3/4"-24	394g	HH0004
.338	M18x1	400g	HH0005



CAL	THREAD	WEIGHT	SKU
.375	M22x1.5	738g	HH1613
.375	7/8"-14	738g	HH1623
.408 / .416	M22x1.5	735g	HH1713
.408 / .416	7/8"-14	734g	HH1723
.408 / .416	1"-14	713g	HH1746
.50	7/8"-14	720g	HH1923
.50	M25x1.5	700g	HH1936
.50	1"-14	699g	HH1946

WHERE UNSPECIFIED, DIMENSIONS IN MM



MILITARY



LAW
ENFORCEMENT



SHOOTING
SPORTS




HUNTING

JW

The JW Tactical Breacher is a cylindrical choke tube suited for CQB. Its ported section extends 51mm beyond the muzzle in order to manage overpressure. This device can be used with all shot shells including lead, steel and slugs. Manufactured from 17-4PH (AISI 630) heat treated (H1150D) stainless steel and finished with Dark Gray PVD, it ensures top corrosion resistance.

- Manufactured from 17-4PH H1150D stainless steel
- Finished with Dark Gray PVD



PLATFORM	WEIGHT	SKU
REMINGTON 870 12GA	79g	JW0001
BROWNING/WINCHESTER INVECTOR PLUS 12GA	88g	JW0011
FABARM TRIBORE HP BARREL 12GA	75g	JW0021



MILITARY



LAW
ENFORCEMENT



SHOOTING
SPORTS




HUNTING

CELERITAS™

The design of the Celeritas™ Glock mag release meets both practical and sports requirements. Its extended gripping surface allows an easier and more comfortable reaching. The tilted side avoids involuntary releases. It is made of 7075-T651 aluminium and finished with Type 3 Hardcoat anodizing.

- Compatible with all Gen 4 and Gen 5 small frame Glock's
- Designed to perform faster magazine changes
- Manufactured from 7075-T651 aluminium
- Finished with Type 3 Hardcoat anodizing

FINISH	WEIGHT	SKU
BLACK	4g	CS0001A
SILVER	4g	CS0001W



WWW.AUDERE.SM



PICATINNY RAILS



MILITARY



LAW
ENFORCEMENT




SHOOTING
SPORTS



HUNTING

Our series of rails allows the mounting of a wide range of optics and tactical sight devices on various popular platforms. Each rail is CNC machined from a single piece of High-Grade steel or 7075-T651 aluminium. Rails for other platforms are available upon request.

- Extremely solid and reliable rails
- Manufactured from High-grade steel or 7075-T651 aluminium
- Black nitride finish for steel rails, Type 3 Hardcoat anodizing finish for aluminium rails



PLATFORM	MATERIAL	MOA	WEIGHT	SKU
BROWNING BAR/BENELLI ARGO	STEEL	0	112g	NR0001
BROWNING BAR/BENELLI ARGO	ALU	0	39g	NR0002
FRANCHI HORIZON/MOMENTUM LA	STEEL	0	131g	NR0003
FRANCHI HORIZON/MOMENTUM LA	STEEL	10	131g	NR0004
FRANCHI HORIZON/MOMENTUM LA	STEEL	20	130g	NR0005
FRANCHI HORIZON/MOMENTUM SA	STEEL	0	117g	FR1039
REMINGTON 700 LONG ACTION	ALU	0	50g	NR0006
REMINGTON 700 LONG ACTION	ALU	20	50g	NR0007
REMINGTON 700 LONG ACTION	ALU	30	49g	NR0008
REMINGTON 700 LONG ACTION	STEEL	0	138g	NR0009
REMINGTON 700 LONG ACTION	STEEL	20	137g	NR0010
REMINGTON 700 LONG ACTION	STEEL	30	137g	NR0011
REMINGTON 700 SHORT ACTION	ALU	0	45g	NR0015
REMINGTON 700 SHORT ACTION	ALU	20	45g	NR0016
REMINGTON 700 SHORT ACTION	ALU	30	45g	NR0017
REMINGTON 700 SHORT ACTION	STEEL	0	126g	NR0018
REMINGTON 700 SHORT ACTION	STEEL	20	125g	NR0019
REMINGTON 700 SHORT ACTION	STEEL	30	125g	NR0020
TIKKA T3/T3X	STEEL	0	151g	NR0036
TIKKA T3/T3X	STEEL	20	144g	NR0037
TIKKA T3/T3X	STEEL	30	140g	NR0038

WHERE UNSPECIFIED, DIMENSIONS IN MM

SHADOW BIPOD



MILITARY




LAW
ENFORCEMENT




SHOOTING
SPORTS



HUNTING




PICATINNY RAIL INTERFACE
SKU: BP0001



ARCA RAIL INTERFACE
SKU: BP0002

BOTH FEET INCLUDED



The Audere Shadow Bipod is designed for sport shooting. The carbon fiber legs and the aluminium body bring the weight down to just 300 grams [10oz]. The height ranges between 195mm [7.6 inches] and 245mm [9.6 inches] with four adjustment spots every 20mm [0.7 inches]. The legs can be independently adjusted with five 45° spots and are equipped with interchangeable rubber and stainless steel spur feet included in the box. The extended lever allows to adjust the canting within a range of 40°. Controls are placed backwards thus the shooter can easily operate without changing the stance.

SHADOW TRIPOD



MILITARY



LAW
ENFORCEMENT



SHOOTING
SPORTS



HUNTING

The Audere Shadow Tripod is designed for sport shooting. The carbon fiber legs and the aluminium body bring the weight down to just 2200 grams [77oz]. The height ranges between 710mm [27 inches legs open] and 1630mm [64 inches] with locking lavers that give reliable adjustments. The legs can be independently adjusted in whidt with three spots and are equipped with rubber feet. The head feature both ARCA and Picatinny interface with Quick Detach lever and adjustment knob for the best flexibility. All the head movements can be quickly locked with a single extended lever without leaving the shooting position.



TOOLS

TORQUE SCREWDRIVER 2-10Nm SKU: AT0004

Torque screwdriver equipped with TORX® bits, recommended for the assembly of AUDERE products and for whichever application requires a <10Nm torque. The set comes with the torque screwdriver (2-10Nm) and 3 high-quality bits.

1x



3x



(TX15, TX20, TX25)

TORQUE SCREWDRIVER 2-10Nm SKU: AT0005

Professional torque screwdriver equipped with TORX® bits, recommended for the assembly of AUDERE products and for whichever application requires a <10Nm torque. The set comes with the torque screwdriver (2-10Nm) and 3 high-quality bits.

1x



3x




(TX15, TX20, TX25)



WHAT'S NEXT

BOLT ACTION RIFLE



CALIBER	BARREL	TWIST
.223 Remington	18"	1:7"
6mm ARC	18"	1:7.5"
6.5 Creedmoor	24"	1:8"
.308 Winchester	24"	1:10"

BOLT ACTION CHASSIS SYSTEM



PLATFORM
Remington 700
Franchi Horizon/Momentum
Tikka T3
CZ 455/457

QUICK-DETACH SCOPE MOUNT



DIAMETER
30mm
34mm
35mm
36mm
40mm



VISIT US AT
WWW.AUDERE.SM



@auderersm



AUDERE SRL

VIA CA' CAPICCHIONE, 1
47893 CAILUNGO, REPUBBLICA DI SAN MARINO

CONTACTS

+378 0549 963180
info@audere.sm

ALL AUDERE MATERIALS ARE FOR INFORMATIONAL PURPOSES ONLY AND DO NOT CONSTITUTE ANY BINDING OBLIGATIONS OR AGREEMENT BY AUDERE. ALL CLAIMS ABOUT PERFORMANCE AND PERFORMANCE CHARACTERISTICS ASSUME A RESPONSIBLE USAGE OF THE PRODUCT. AUDERE RESERVES THE RIGHT TO CHANGE SPECIFICATIONS OF PRODUCTS AT ANY TIME WITHOUT NOTICE.

